

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EF659
North
1/2-1
0.959 mi.
5061 ft.
AVE V PUMP STATION
84 AVENUE V
BROOKLYN, NY
Site 4 of 4 in cluster EF

NY Spills **S102240312**
N/A

Relative:
Higher

Actual:
14 ft.

SPILLS:

Name: 84 AVENUE V.
Address: 84 AVENUE V
City,State,Zip: BROOKLYN, NY
Spill Number/Closed Date: 9305402 / 1993-08-02
Facility ID: 9305402
Facility Type: ER
DER Facility ID: 134100
Site ID: 228156
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: Not reported
SWIS: 2401
Spill Date: 1993-08-01
Investigator: O'DOWD
Referred To: Not reported
Reported to Dept: 1993-08-01
CID: Not reported
Water Affected: CONEY ISLAND CREEK
Spill Source: Institutional, Educational, Gov., Other
Spill Notifier: Local Agency
Cleanup Ceased: 1993-08-02
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1993-08-02
Spill Record Last Update: 2004-09-30
Spiller Name: Not reported
Spiller Company: NYC DEP
Spiller Address: Not reported
Spiller Company: 001
Contact Name: Not reported
DEC Memo: ""
Remarks: "HIGH OVERFLOW DUE TO OPEN HYDRANTS INVESTIGATING CAUSE CHLORINATING OVERFLOW DISCHARGE NO CALL BACK NEEDED HIRED ENVIROMENTAL CO. TO DETERMINE CAUSE OF OVE FILL. 8/2/93 REFERRED TO SPDES UNIT."

All Materials:

Site ID: 228156
Operable Unit ID: 986924
Operable Unit: 01
Material ID: 395325
Material Code: 0066A
Material Name: unknown petroleum
Case No.: Not reported
Material FA: Petroleum
Quantity: .00
Units: Not reported
Recovered: .00
Oxygenate: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

Name: BROOKLYN
Address: 84 AVENUE V
City,State,Zip: BROOKLYN, NY
Spill Number/Closed Date: 0310093 / 2003-12-02
Facility ID: 0310093
Facility Type: ER
DER Facility ID: 134100
Site ID: 158699
DEC Region: 2
Spill Cause: Other
Spill Class: D4
SWIS: 2401
Spill Date: 2003-11-27
Investigator: CESA WYER
Referred To: Not reported
Reported to Dept: 2003-11-27
CID: 403
Water Affected: LOWER NEW YORK BAY
Spill Source: Institutional, Educational, Gov., Other
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: Not reported
Spill Record Last Update: 2003-12-05
Spiller Name: Not reported
Spiller Company: MICHAEL KOWALSKI
Spiller Address: 84 AVENUE V
Spiller Company: 001
Contact Name: MICHAEL KOWALSKI
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was

Remarks: SAWYER Forwarded to DEC Water Group"
"raw sewage was spilled and it is an ongoing event. they are doing a bi-pass"

All Materials:

Site ID: 158699
Operable Unit ID: 877753
Operable Unit: 01
Material ID: 499032
Material Code: 0062A
Material Name: raw sewage
Case No.: Not reported
Material FA: Other
Quantity: .00
Units: G
Recovered: .00
Oxygenate: Not reported

Name: 84 AVENUE V
Address: 84 AVENUE V
City,State,Zip: BROOKLYN, NY
Spill Number/Closed Date: 9302719 / 2003-05-08
Facility ID: 9302719
Facility Type: ER
DER Facility ID: 134100

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

Site ID: 158700
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: C3
SWIS: 2401
Spill Date: 1993-05-28
Investigator: RWAUSTIN
Referred To: Not reported
Reported to Dept: 1993-05-28
CID: Not reported
Water Affected: CONEY ISLAND CREEK
Spill Source: Institutional, Educational, Gov., Other
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1993-07-07
Spill Record Last Update: 2003-05-08
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: Not reported
Spiller Company: 001
Contact Name: Not reported
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was
AUSTIN 5/8/03 - AUSTIN - CLOSED DUE TO MINOR SHORT TERM NATURE OF
SPILL EVENT - END"
Remarks: "SMALL SPILL IN CREW CHLORINATED HIGH FLOW - UNKNOWN SOURCE - CLEANED
UP CREEK TO 10PM MC AULIFIFE (CONTACT)."

All Materials:

Site ID: 158700
Operable Unit ID: 984730
Operable Unit: 01
Material ID: 399833
Material Code: 0062A
Material Name: raw sewage
Case No.: Not reported
Material FA: Other
Quantity: .00
Units: L
Recovered: .00
Oxygenate: Not reported

Name: 84 AVENUE "V"
Address: 84 AVENUE V
City,State,Zip: BROOKLYN, NY
Spill Number/Closed Date: 9306565 / 1995-09-05
Facility ID: 9306565
Facility Type: ER
DER Facility ID: 134100
Site ID: 158701
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: C3
SWIS: 2401
Spill Date: 1993-08-29

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

Investigator: RWAUSTIN
Referred To: Not reported
Reported to Dept: 1993-08-29
CID: Not reported
Water Affected: CONEY ISLAND CREEK
Spill Source: Commercial/Industrial
Spill Notifier: Responsible Party
Cleanup Ceased: 1995-09-05
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1993-09-09
Spill Record Last Update: 1995-09-05
Spiller Name: Not reported
Spiller Company: DEP
Spiller Address: Not reported
Spiller Company: 001
Contact Name: Not reported
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was AUSTIN 10/10/95: This is additional information about material spilled from the translation of the old spill file: BIPASS"

Remarks: "HIGH FLOW WILL CHLORONATE - NO ACTION TAKEN - NO OTHER AGENCIES."

Name: 84 AVENUE V
Address: 84 AVENUE V
City,State,Zip: BROOKLYN, NY
Spill Number/Closed Date: 9313643 / 1995-02-15

Facility ID: 9313643
Facility Type: ER
DER Facility ID: 134100
Site ID: 158702
DEC Region: 2
Spill Cause: Other
Spill Class: C3
SWIS: 2401
Spill Date: 1994-02-20
Investigator: SPEDES UNIT
Referred To: SPEDES UNIT
Reported to Dept: 1994-02-20
CID: Not reported
Water Affected: CONEY ISLAND CK.
Spill Source: Institutional, Educational, Gov., Other
Spill Notifier: Responsible Party
Cleanup Ceased: 1995-02-15
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1994-02-22
Spill Record Last Update: 1995-02-15
Spiller Name: Not reported
Spiller Company: SAME
Spiller Address: Not reported
Spiller Company: 999
Contact Name: Not reported
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

Remarks: SPDES/MARTINKAT "
"THERE WAS A SEWAGE BY PASS - NYC DEP AT SCENE - ADDING CHLORINE FOR
CLEAN UP - NO CALL BACK."

All Materials:

Site ID: 158702
Operable Unit ID: 992100
Operable Unit: 01
Material ID: 389015
Material Code: 0066A
Material Name: unknown petroleum
Case No.: Not reported
Material FA: Petroleum
Quantity: -1.00
Units: Not reported
Recovered: .00
Oxygenate: Not reported

Name: AVE "V" PUMPING STATION
Address: 84 AVENUE V
City,State,Zip: BROOKLYN, NY
Spill Number/Closed Date: 9415181 / 2004-01-26
Facility ID: 9415181
Facility Type: ER
DER Facility ID: 134100
Site ID: 158703
DEC Region: 2

Spill Cause: Other
Spill Class: C4
SWIS: 2401
Spill Date: 1995-02-14
Investigator: RWAUSTIN
Referred To: Not reported
Reported to Dept: 1995-02-19
CID: Not reported
Water Affected: CONEY ISLAND CREEK
Spill Source: Unknown
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1995-03-28
Spill Record Last Update: 2004-01-26
Spiller Name: Not reported
Spiller Company: SAME
Spiller Address: Not reported
Spiller Company: 999
Contact Name: Not reported
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was
AUSTIN 1/26/04 - AUSTIN - SEWAGE BYPASS - CLOSED - ORIG. ASSIGNED TO
ENGELHARDT - END"
Remarks: "BYPASS"

All Materials:

Site ID: 158703
Operable Unit ID: 1012534

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

Operable Unit: 01
Material ID: 370363
Material Code: 0066A
Material Name: unknown petroleum
Case No.: Not reported
Material FA: Petroleum
Quantity: -1.00
Units: L
Recovered: .00
Oxygenate: Not reported

Site ID: 158703
Operable Unit ID: 1012534
Operable Unit: 01
Material ID: 370364
Material Code: 0062A
Material Name: raw sewage
Case No.: Not reported
Material FA: Other
Quantity: .00
Units: L
Recovered: .00
Oxygenate: Not reported

Name: 84 AVE "V"
Address: 84 AVENUE V
City, State, Zip: BROOKLYN, NY
Spill Number/Closed Date: 9303007 / 1993-06-06
Facility ID: 9303007
Facility Type: ER
DER Facility ID: 134100
Site ID: 312591
DEC Region: 2
Spill Cause: Unknown
Spill Class: D4
SWIS: 2401
Spill Date: 1993-06-06
Investigator: FIFOLT
Referred To: Not reported
Reported to Dept: 1993-06-06
CID: Not reported
Water Affected: Not reported
Spill Source: Institutional, Educational, Gov., Other
Spill Notifier: Other
Cleanup Ceased: 1993-06-06
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1993-06-07
Spill Record Last Update: 2003-11-10
Spiller Name: Not reported
Spiller Company: NYC DEP AVE V PUMP STA.
Spiller Address: Not reported
Spiller Company: 001
Contact Name: Not reported
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

Remarks: E. TIFOLT "
"HIGH EFFLUENT FLOW - DEP CHLORINATING CREEK - INVESTIGATION
CONTINUING TO DETERMINATE CAUSE."

All Materials:

Site ID: 312591
Operable Unit ID: 981254
Operable Unit: 01
Material ID: 400106
Material Code: 0062A
Material Name: raw sewage
Case No.: Not reported
Material FA: Other
Quantity: .00
Units: L
Recovered: .00
Oxygenate: Not reported

Name: AVENUE V PUMPING STATION DEP -DDC
Address: 84 AVENUE V
City,State,Zip: BROOKLYN, NY
Spill Number/Closed Date: 8704957 / 1987-09-15
Facility ID: 8704957
Facility Type: ER

DER Facility ID: 134100
Site ID: 280050
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: Not reported
SWIS: 2401
Spill Date: 1987-09-14
Investigator: UNASSIGNED
Referred To: Not reported
Reported to Dept: 1987-09-15
CID: Not reported
Water Affected: CONEY ISLAND
Spill Source: Institutional, Educational, Gov., Other
Spill Notifier: Responsible Party
Cleanup Ceased: 1987-09-15
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1987-09-15
Spill Record Last Update: 2005-07-07
Spiller Name: Not reported
Spiller Company: NYCDEP
Spiller Address: Not reported
Spiller Company: 999
Contact Name: Not reported
DEC Memo: "Prior to Sept, 2004 data translation this spill Lead_DEC Field was "
Remarks: "MAIN SEWAGE- PUMP #8 EXPERIENCED BEARING FAILURE, BYPASS OCCURRED AT
PEAK FLOW AND LOW TIDE PERIOD ONLY. FLOW RATE 1.0 MG/HR"

All Materials:

Site ID: 280050
Operable Unit ID: 908792
Operable Unit: 01

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

Material ID: 467567
Material Code: 0062A
Material Name: raw sewage
Case No.: Not reported
Material FA: Other
Quantity: .00
Units: Not reported
Recovered: .00
Oxygenate: Not reported

Name: AVENUE V PUMPING STATION DEP -DDC
Address: 84 AVENUE V
City,State,Zip: BROOKLYN, NY
Spill Number/Closed Date: 9315258 / 1995-02-15
Facility ID: 9315258
Facility Type: ER
DER Facility ID: 134100
Site ID: 180033
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: E5
SWIS: 2401

Spill Date: 1994-03-26
Investigator: SPEDES UNIT
Referred To: SPEDES UNIT
Reported to Dept: 1994-03-26
CID: Not reported
Water Affected: CONEY ISLAND
Spill Source: Unknown
Spill Notifier: Responsible Party
Cleanup Ceased: 1995-02-15
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1994-03-30
Spill Record Last Update: 2004-12-27
Spiller Name: Not reported
Spiller Company: NYC DEP
Spiller Address: Not reported
Spiller Company: 001
Contact Name: Not reported
DEC Memo:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was SPDES/MARTINKAT 10/10/95: This is additional information about material spilled from the translation of the old spill file: SEWAGE BYPASS."

Remarks: "HIGH FLOW DUE TO SPRING MELF - NO ACTION TAKEN - NO OTHER AGENCIES."

All Materials:

Site ID: 180033
Operable Unit ID: 997184
Operable Unit: 01
Material ID: 387018
Material Code: 0066A
Material Name: unknown petroleum
Case No.: Not reported
Material FA: Petroleum
Quantity: -1.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

Units: Not reported
Recovered: .00
Oxygenate: Not reported

Name: AVE V PUMP STATION
Address: 84 AVENUE V
City,State,Zip: BROOKLYN, NY
Spill Number/Closed Date: 0605976 / 2006-08-24
Facility ID: 0605976
Facility Type: ER
DER Facility ID: 134100
Site ID: 369254
DEC Region: 2
Spill Cause: Other
Spill Class: C4
SWIS: 2401
Spill Date: 2006-08-23
Investigator: SMSANGES
Referred To: Not reported
Reported to Dept: 2006-08-23

CID: 409
Water Affected: Not reported
Spill Source: Institutional, Educational, Gov., Other
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2006-08-23
Spill Record Last Update: 2006-08-24
Spiller Name: STEVE DUDAR
Spiller Company: AVE V PUMP STATION
Spiller Address: 84 AVE V
Spiller Company: 001
Contact Name: STEVE DUDAR
DEC Memo: ""
Remarks: "WAS RELEASED INTO A PIT AND IS FILED UP WITH 3 OR 4 FEET OF SEWAGE. HAS BEEN PUMPED OUT DRY. THEY WERE DOING RENOVATION AND THE PIPE WAS SURCHSRGED."

All Materials:

Site ID: 369254
Operable Unit ID: 1127096
Operable Unit: 01
Material ID: 2116677
Material Code: 0062A
Material Name: raw sewage
Case No.: Not reported
Material FA: Other
Quantity: Not reported
Units: G
Recovered: .00
Oxygenate: Not reported

Name: AVENUE V PUMP STATION
Address: 84 AVENUE V.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

City,State,Zip: BROOKLYN, NY
Spill Number/Closed Date: 0708225 / 2007-10-29
Facility ID: 0708225
Facility Type: ER
DER Facility ID: 338636
Site ID: 389077
DEC Region: 2
Spill Cause: Other
Spill Class: D5
SWIS: 2401
Spill Date: 2007-10-27
Investigator: jbvought
Referred To: Not reported
Reported to Dept: 2007-10-27
CID: 76
Water Affected: JAMAICA BAY
Spill Source: Commercial/Industrial
Spill Notifier: Other
Cleanup Ceased: Not reported

Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: Not reported
Remediation Phase: 0
Date Entered In Computer: 2007-10-27
Spill Record Last Update: 2007-10-29
Spiller Name: SEE B FERRARA
Spiller Company: NYC DEP
Spiller Address: 84 AVENUE V.
Spiller Company: 001
Contact Name: SEE B FERRARA
DEC Memo: "10/29/07-Vought-Off hours responder. Non petroleum spill. Spill closed and referred to DEC Water Unit."

Remarks: "spill due to weather-heavy rain. spill is a bypass."

All Materials:

Site ID: 389077
Operable Unit ID: 1146228
Operable Unit: 01
Material ID: 2136593
Material Code: 0062A
Material Name: raw sewage
Case No.: Not reported
Material FA: Other
Quantity: Not reported
Units: G
Recovered: .00
Oxygenate: Not reported

[Click this hyperlink](#) while viewing on your computer to access
11 additional NY SPILL: record(s) in the EDR Site Report.